

## Product specifications

---

Name	Anti-h cTnI RC9707 SPTN-5
Specificity	Antibody recognizes human cardiac troponin I (cTnI)
Description	Recombinant chimeric antibody containing variable region from mouse IgG and constant region from human IgG <sub>1</sub> , cultured <i>in vitro</i> under conditions free from animal-derived components.
Product code	140020
Product buffer solution	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN <sub>3</sub> as a preservative
Shelf life and storage	Unspecified, storage at 2–8 °C
Subclass	human IgG <sub>1</sub>
Analyte description	Troponins form a complex of three regulatory proteins (troponin C, I and T) that are integral to muscle contraction in skeletal and cardiac muscles. Serum cardiac troponin tests can be used to help diagnose several different heart disorders, especially myocardial infarction.

## Parameters tested on each lot

---

Product appearance	Liquid, may turn slightly opaque during storage
Product concentration	5.0 mg/ml (+/- 10 %) (A280 nm, 1 mg/ml, 1 cm = 1.5)
Immunoreactivity	80–120 % compared to the reference sample in an FIA test
IEF Profile	7.5–8.7
Purity	≥ 95 %

## Kinetic parameters

---

Association rate constant	$1.7 \times 10^6$ 1/Ms
Dissociation rate constant	$2.7 \times 10^{-4}$ 1/s
Affinity constant	$K_A = 6.1 \times 10^9$ 1/M; $K_D = 7.1 \times 10^{-10}$ M (= 0.71 nM)
Determination method	BLI analysis (Octet RED96e)
Determination antigen	Troponin ITC complex, EastCoast Bio LA200

### Legal disclaimer



**Cross-reactivities**

Skeletal troponin I (sTnI) 14 %

Does not recognize cardiac troponin T (cTnT), cardiac troponin C (cTnC), or skeletal troponin T (sTnT).

**Epitope**

In the C-terminal part of the cTnI molecule (residues 190-195)

**Pair recommendations**

		DETECTION						
		9701/ RC9701	9703	9705	9707/ RC9707	9708	9709	RC9750
CAPTURE	9701/ RC9701	-	+	+	+	+	+	+
	9703	-	-	+	-	+	+	-
	9705	+	+	-	+	-	-	+
	9707/ RC9707	-	-	-	-	-	-	-
	9708	-	-	-	-	-	-	-
	9709	-	+	-	-	-	-	+
	RC9750	+	-	+	+	+	+	-

RC9750 is recommended as a very sensitive capture.

For increased sensitivity, 2+1 or 2+2 antibody approach is recommended, for example capture: 9701/RC9701 &amp; 9705, detection 9703 &amp; 9707/RC9707.

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

**Platforms tested**

FIA

**Antigens tested**

Recombinant cTnI antigen, Medix Biochemica 610102, native cTnI antigen Lee Biosolutions 550-11, and native cardiac Troponin Complex (cTn ITC) antigen, Lee Biosolutions 550-08.

**Product stability**

TEMPERATURE, TIME	RESULT
-70 °C, 21 days	OK
-20 °C, 21 days	OK
+4 °C, 21 days	OK
+35 °C, 21 days	OK
+45 °C, 7 days	OK

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 °C in the product buffer.

**Miscellaneous**

-

**References**

-

**Legal disclaimer**

**Legal disclaimer**

Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. MedixMAB and MedixAntigens are trademarks of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.

